




INNOVO

FORCE X

STRUCTURE



Thanks for your purchase of a LINVO product. For the better use of all the functions of this product, please carefully read the operation notes and detailed functional instructions before your first use of this product. If you have any problems with using this product, please contact our local agent or visit our official website at www.linvo-bar.com



FILL E-LIQUID

Open the silicone plug and fill the juice through the filling port. After filling, close with the silicone plug and ensure that it firmly returns to the closed state.

- Install the pod on the body and turn it on for use.
- The Pod is recommended to be two-thirds filled.

Note: When the pod is used for the first time, please fill it with e-liquid and leave it for more than 5 minutes.

PARAMETERS

Size: 117.5*26.2*15.5mm Charging: USB C 5V/1A Static current: <15uA
Cartridge capacity: 2ml Battery Type: Built-in 1000mA Charging current: 1A
Smoking time: 10S Output Power: 5W-30W(RMS) Atomize resistance: 0.3-1.2Ω

MANUFACTURER

Company: Shenzhen ELEGO Technology Co., Ltd

Address: Floor 4-5, 1 # Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Hangcheng Sub-District, Bao' an District, Shenzhen, China

Tel: +86-0755-82599451

Website: www.linvo-bar.com

SECURITY PROTECTION:

Vaping timeout protection
Chip over-temperature protection
Load overcurrent protection
Battery overcharge protection
Battery low power protection
Atomizer short circuit protection

OPERATING INSTRUCTIONS:

● Screen Unlock

Press the physical button once to wake up the screen.

● Information Overview

Swipe up to access the home page to view the battery level, power, resistance, and more.

● Power Setting

Swipe left once on the home page, then slide up or down to adjust the range.

● Theme Setting

Swipe left twice on the home page, then click the corresponding theme block to select a theme.

● Key Function Setting

Swipe left three times on the home page, click "fire key on" to enable the ignition function, and click "fire key off" to disable it.

● Device On/Off (Child Lock)

Press the button five times to switch the device and child lock on/off.

ATTENTION

- 1.This product is not recommended for minors, pregnant or breast-feeding women, or anyone at risk of heart disease, depression and asthma.
- 2.Please keep the device away from heat, fire and water. This device should be stored in a cool and shady environment.
- 3.Please do not drop, throw or immerse the device into water.
- 4.Please turn off or lock the device to avoid accidental firing when you carry it out.
- 5.Please rationally use the device according to personal situation. If discomfort occurs, please stop using it immediately.
- 6.EEE Recycling: This product should not be treated as household waste, instead it should be handled over to the applicable collection point for the recycling of electrical and electronic equipment.
- 7.Battery Recycling: The Battery of this product should not be treated as household waste, instead it should be handled over to the applicable used battery collection point for recycling.
8. It is recommended to use the USB cable provided by LINVO to charge the device.
- 9.During the long-term unused period of the device, in order to prevent discharge, it is recommended to charge regularly!
- 10.The storage period of the equipment shall be within 3 months: the ambient temperature ranges from -5℃ - 30℃, with humidity 25%±75%RH. Operating temperature of electronic cigarette: 0℃ - 40℃!
- 11.Disassembly is prohibited after product failure!
- 12.Only for indoor charging, please use UL-certified USB charger to charge the device to avoid the danger of fire and explosion!

WARM PROMPT


Pod Leakage

There is a possibility of e-liquid leakage at high pressure when you travel by air. Therefore, please separate your pods from other important objects.

Deal with Condensate


There may be slight condensation of fluid due to the difference between indoor and outdoor temperature when you use the device. It is advisable to take out the pod, and shake it downwards.

GERÄTESTRUKTUR:



Vielen Dank für den Kauf eines LINVO-Produkts. Um alle Funktionen optimal nutzen zu können, lesen Sie bitte vor der ersten Verwendung sorgfältig die Bedienhinweise und Funktionsbeschreibungen.

Bei Fragen wenden Sie sich bitte an Ihren regionalen Händler oder besuchen Sie unsere Website www.linvo-bar.com.



E-LIQUID EINFÜLLEN:

- Öffnen Sie den Silikonverschluss und füllen Sie das Liquid über die Einfüllöffnung ein. Nach dem Befüllen den Silikonverschluss wieder fest verschließen.
- Setzen Sie den Pod in das Gerät ein und schalten Sie es ein.
- Den Pod nur zu etwa zwei Dritteln befüllen.

Hinweis: Bei erstmaliger Nutzung den Pod vollständig befüllen und mindestens 5 Minuten ruhen lassen, bevor Sie dampfen.

TECHNISCHE DETAILS:

Größe: 117.5*26.2*15.5mm Laden: Type-C 5V/1A Ruhestrom: <15uA
Pod-Kapazität: 2ml Akku: 1000mAh (festverbaut) Ladestrom: 1A Zugdauer: 10S Ausgangsleistung: 5W-30W(RMS) Widerstandsbereich: 0.3-1.2Ω

HERSTELLERANGABEN

Firma: Shenzhen ELEGO Technology Co., Ltd

Adres: Floor 4-5, 1 # Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Hangcheng Sub-District, Bao' an District, Shenzhen, China
Tel: +86-0755-82599451

Website: www.linvobar.com

IMPORTEUR

PB-ViGoods GmbH, Goethestraße 6, 14712 Rathenow, Germany

Telefon: +49 3385 494880

Website: www.steam-time.de

Sicherheitsfunktionen:

Timeout-Schutz beim Dampfen
Überhitzungsschutz des Chips
Überstromschutz bei Last
Akku-Überladeschutz
Tiefentladeschutz
Kurzschlusschutz am Verdampfer

Bedienungsanleitung:

● Bildschirm entsperren

Drücken Sie einmal die physische Taste, um den Bildschirm zu aktivieren. (Nach oben wischen).

● Übersicht anzeigen

Wischen Sie nach oben, um auf die Startseite zu gelangen – zeigt Akku, Leistung, Widerstand usw.

● Leistung einstellen

Wischen Sie einmal nach links, dann nach oben/unten zum Anpassen der Leistung.

● Themenwahl

Wischen Sie zweimal nach links, dann gewünschtes Thema antippen.

● Tastenfunktion aktivieren/deaktivieren

Wischen Sie dreimal nach links, tippen Sie auf „fire key on“, um Tastenfeuerung zu aktivieren – oder „fire key off“, um sie zu deaktivieren.

● Gerät ein-/ausschalten (Kindersicherung)

Fünfmaliges Drücken der Taste schaltet Gerät und Kindersicherung ein oder aus.

Warnhinweise

1. Nicht geeignet für Minderjährige, Schwangere, Stillende oder Personen mit Herzkrankheiten, Depressionen oder Asthma.
2. Gerät vor Hitze, Feuer und Wasser schützen. Kühl und trocken lagern.
3. Nicht fallen lassen, werfen oder in Wasser tauchen.
4. Gerät ausschalten oder sperren, um unbeabsichtigtes Auslösen beim Transport zu vermeiden.
5. Gebrauch stets entsprechend der eigenen gesundheitlichen Situation – bei Unwohlsein sofort stoppen.
6. EEE-Recycling: Nicht im Hausmüll entsorgen – bitte bei geeigneter Sammelstelle für Elektronik abgeben.
7. Akku-Recycling: Akku ebenfalls nicht im Hausmüll entsorgen – bei Batterie-Sammelstellen abgeben.
8. Verwenden Sie das mitgelieferte UNVO-USB-Kabel zum Laden.
9. Bei längerer Nichtbenutzung regelmäßig aufladen, um Tiefentladung zu vermeiden!
10. Lagerzeit max. 3 Monate bei -5°C bis 30°C, Luftfeuchtigkeit 25%±75%. Betrieb: 0°C-40°C!
11. Das Gerät darf nach einem Defekt nicht zerlegt werden!
12. Nur in Innenräumen laden. Verwenden Sie ein UL-zertifiziertes Ladegerät, um Brand- und Explosionsgefahr zu vermeiden!

Hinweise

Pod-Leckage

Durch Luftdruckveränderungen kann beim Fliegen E-Liquid austreten. Bewahren Sie Pods separat von empfindlichen Gegenständen auf.

Kondensat entfernen

Temperaturunterschiede können zu Kondenswasser führen. Entfernen Sie den Pod und schütteln Sie ihn vorsichtig nach unten aus.

S06E+LINVO +德国+套装说明书

(英语+德语)

1.120.10.1109 S06E 德国版 套装说明书

尺寸: 280*124mm (单面尺寸70*124mm)

材质: 128g 铜版纸

风琴折2折 双面印刷

英语

正

STRUCTURE

Thanks for your purchase of a LINVO product. For the better use of all the functions of this product, please carefully read the operation notes and detailed functional instructions before your first use of this product. If you have any problems with using this product, please contact our local agent or visit our official website at www.linvo-bar.com

- English -

FILL E-LIQUID
Open the silicone plug and fill the juice through the filling port. After filling, close with the silicone plug and ensure that it firmly returns to the closed state.
- Install the pod on the body and turn it on for use.
- The Pod is recommended to be two-thirds filled.

Note: When the pod is used for the first time, please fill it with e-liquid and leave it for more than 5 minutes.

PARAMETERS
Size: 117.5*26.2*15.5mm Charging: USB C 5V/1A Static current: <15uA
Cartridge capacity: 2ml Battery Type: Built-in 1000mAh Charging current: 1A
Smoking time: 10S Output Power: 5W-30W(RMS) Atomize resistance: 0.3-1.2Ω

MANUFACTURER
Company: Shenzhen ELEGO Technology Co., Ltd
Address: Floor 4-5, 1# Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Hangcheng Sub-District, Bao'an District, Shenzhen, China
Tel: +86-0755-82599451
Website: www.linvo-bar.com

- English -

SECURITY PROTECTION:
Vaping timeout protection
Chip over-temperature protection
Load overcurrent protection
Battery overcharge protection
Battery low power protection
Atomizer short circuit protection

OPERATING INSTRUCTIONS:
● **Screen Unlock**
Press the physical button once to wake up the screen.
● **Information Overview**
Swipe up to access the home page to view the battery level, power, resistance, and more.
● **Power Setting**
Swipe left once on the home page, then slide up or down to adjust the range.
● **Theme Setting**
Swipe left twice on the home page, then click the corresponding theme block to select a theme.
● **Key Function Setting**
Swipe left three times on the home page, click "fire key on" to enable the ignition function, and click "fire key off" to disable it.
● **Device On/Off (Child Lock)**
Press the button five times to switch the device and child lock on/off.

ATTENTION
1.This product is not recommended for minors, pregnant or breast-feeding women, or anyone at risk of heart disease, depression and asthma.
2.Please keep the device away from heat, fire and water. This device should be stored in a cool and shady environment.
3.Please do not drop, throw or immerse the device into water.
4.Please turn off or lock the device to avoid accidental firing when you carry it out.
5.Please rationally use the device according to personal situation. If discomfort occurs, please stop using it immediately.
6.EEE Recycling: This product should not be treated as household waste, instead it should be handled over to the applicable collection point for the recycling of electrical and electronic equipment.
7.Battery Recycling: The Battery of this product should not be treated as household waste, instead it should be handled over to the applicable used battery collection point for recycling.
8.It is recommended to use the USB cable provided by LINVO to charge the device.
9.During the long-term unused period of the device, in order to prevent discharge, it is recommended to charge regularly!
10.The storage period of the equipment shall be within 3 months; the ambient temperature ranges from -5℃ ~ 30℃, with humidity 25%±75%RH. Operating temperature of electronic cigarette: 0℃ ~ 40℃!
11.Disassembly is prohibited after product failure!
12.Only for indoor charging, please use UL-certified USB charger to charge the device to avoid the danger of fire and explosion!

WARM PROMPT
Pod Leakage
There is a possibility of e-liquid leakage at high pressure when you travel by air. Therefore, please separate your pods from other important objects.
Deal with Condensate
There may be slight condensation of fluid due to the difference between indoor and outdoor temperature when you use the device. It is advisable to take out the pod, and shake it downwards.

- English -

德语

反

GERÄTESTRUKTUR:

Vielen Dank für den Kauf eines LINVO-Produkts. Um alle Funktionen optimal nutzen zu können, lesen Sie bitte vor der ersten Verwendung sorgfältig die Bedienhinweise und Funktionsbeschreibungen.
Bei Fragen wenden Sie sich bitte an Ihren regionalen Händler oder besuchen Sie unsere Website www.linvo-bar.com.

- Deutsch -

E-LIQUID EINFÜLLEN:
- Öffnen Sie den Silikonverschluss und füllen Sie das Liquid über die Einfüllöffnung ein. Nach dem Befüllen den Silikonverschluss wieder fest verschließen.
- Setzen Sie den Pod in das Gerät ein und schalten Sie es ein.
- Den Pod nur zu etwa zwei Dritteln befüllen.

Hinweis: Bei erstmaliger Nutzung den Pod vollständig befüllen und mindestens 5 Minuten ruhen lassen, bevor Sie dampfen.

TECHNISCHE DETAILS:
Größe: 117.5*26.2*15.5mm Laden: Type-C 5V/1A Ruhestrom: <15uA
Pod-Kapazität: 2ml Akku: 1000mAh (festverbaut) Ladestrom: 1A Zugdauer: 10S Ausgangsleistung: 5W-30W(RMS) Widerstandsbereich: 0.3-1.2Ω

HERSTELLERANGABEN
Firma: Shenzhen ELEGO Technology Co., Ltd
Adres: Floor 4-5, 1# Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Hangcheng Sub-District, Bao'an District, Shenzhen, China
Tel: +86-0755-82599451
Website: www.linvo-bar.com

IMPORTEUR
PB-V/Goods GmbH, Goethestraße 6, 14712 Rathenow, Germany
Telefon: +49 3385 494880
Website: www.steam-time.de

- Deutsch -

Sicherheitsfunktionen:
Timeout-Schutz beim Dampfen
Überhitzungsschutz des Chips
Überstromschutz bei Last
Akku-Überladeschutz
Tiefentladeschutz
Kurzschlusschutz am Verdampfer

Bedienungsanleitung:
● **Bildschirm entsperren**
Drücken Sie einmal die physische Taste, um den Bildschirm zu aktivieren. (Nach oben Wischen).
● **Übersicht anzeigen**
Wischen Sie nach oben, um auf die Startseite zu gelangen – zeigt Akku, Leistung, Widerstand usw.
● **Leistung einstellen**
Wischen Sie einmal nach links, dann nach oben/unten zum Anpassen der Leistung.
● **Themenwahl**
Wischen Sie zweimal nach links, dann gewünschtes Thema antippen.
● **Tastenfunktion aktivieren/deaktivieren**
Wischen Sie dreimal nach links, tippen Sie auf „fire key on“, um Tastenfeuerung zu aktivieren – oder „fire key off“, um sie zu deaktivieren.
● **Gerät ein-/ausschalten (Kindersicherung)**
Fünfmaliges Drücken der Taste schaltet Gerät und Kindersicherung ein oder aus.

Warnhinweise
1.Nicht geeignet für Minderjährige, Schwangere, Stillende oder Personen mit Herzkrankheiten, Depressionen oder Asthma.
2.Gerät vor Hitze, Feuer und Wasser schützen. Kühl und trocken lagern.
3.Nicht fallen lassen, werfen oder in Wasser tauchen.
4.Gerät ausschalten oder sperren, um unbeabsichtigtes Auslösen beim Transport zu vermeiden.
5.Gebrauch stets entsprechend der eigenen gesundheitlichen Situation – bei Unwohlsein sofort stoppen.
6.EEE-Recycling: Nicht im Hausmüll entsorgen – bitte bei geeigneter Sammelstelle für Elektronik abgeben.
7.Akku-Recycling: Akku ebenfalls nicht im Hausmüll entsorgen – bei Batterie-Sammelstellen abgeben.
8.Verwenden Sie das mitgelieferte LINVO-USB-Kabel zum Laden.
9.Bei längerer Nichtbenutzung regelmäßig aufladen, um Tiefentladung zu vermeiden!
10.Lagerzeit max. 3 Monate bei -5°C bis 30°C, Luftfeuchtigkeit 25%±75%. Betrieb: 0°C-40°C
11.Das Gerät darf nach einem Defekt nicht zerlegt werden!
12.Nur in Innenräumen laden. Verwenden Sie ein UL-zertifiziertes Ladegerät, um Brand- und Explosionsgefahr zu vermeiden!

Hinweise
Pod-Leakage
Durch Luftdruckveränderungen kann beim Fliegen E-Liquid austreten. Bewahren Sie Pods separat von empfindlichen Gegenständen auf.
Kondensat entfernen
Temperaturunterschiede können zu Kondenswasser führen. Entfernen Sie den Pod und schütteln Sie ihn vorsichtig nach unten aus.

- Deutsch -

WARRANTY CARD

Warranty Terms
Linvo agrees to provide repair under warranty pursuant to the following terms and conditions:
Linvo will replace or repair any defective or malfunctioning products (Warranty period is 180-day limited after the date of initial purchase by the end user)
This warranty may be void as a result of any of the following conditions:
1. Loss of warranty card and invoice/ receipt. Without these items, warranty is void.
2. Merchandise failure or damage is caused due to improper use or unauthorized repair.
3. Merchandise failure or damage as a result of excessive force such as dropping or improper use of water or other liquid.
4. Merchandise failure or damage due to usage with non-Linvo Components (charger, battery and USB cable).
5. The breakdown and the damage caused by the Force majeure.
6. Warranty service is only available when the warranty card is complete.
7. Please don't tear up the warranty sticker, or the warranty service would be not available.
Linvo reserves the right of final decision in all warranty cases.

Purchase Information
Product Model (Name, Type, Battery Capacity, serial no, etc): _____
Date of Purchase (Based on the date from receipt of purchase): Month _____ Day _____ Year _____
Store Information
Store Name: _____
Phone: (_____) _____
- _____
Store Address: _____ City: _____
State: _____
Post Code: _____
Customer Information
Customer Name: _____
Phone: (_____) _____
- _____
Customer Address: _____
City: _____ State: _____
Post Code: _____

For more information about linvo products, technical support, and customer service, please visit our website www.linvo-bar.com or email business@linvo-bar.com

WARRANTY CARD

Warranty Terms

Linvo agrees to provide repair under warranty pursuant to the following terms and conditions:

Linvo will replace or repair any defective or malfunctioning products (Warranty period is 180-day limited after the date of initial purchase by the end user)

This warranty may be void as a result of any of the following conditions:

1. Loss of warranty card and invoice/ receipt. Without these items, warranty is void.
2. Merchandise failure or damage is caused due to improper use or unauthorized repair.
3. Merchandise failure or damage as a result of excessive force such as dropping or improper use of water or other liquid.
4. Merchandise failure or damage due to usage with non-Linvo Components (charger, battery and USB cable).
5. The breakdown and the damage caused by the Force majeure.
6. Warranty service is only available when the warranty card is complete.
7. Please don't tear up the warranty sticker, or the warranty service would be not available.

Linvo reserves the right of final decision in all warranty cases.

For more information about linvo products, technical support, and customer service, please visit our website www.linvobar.com or email business@linvobar.com

Purchase Information

Product Model (Name, Type, Battery Capacity, serial no, etc): _____

Date of Purchase (Based on the date from receipt of purchase); Month _____
Day _____ Year _____

Store Information

Store Name: _____

Phone: (_____) _____

- _____

Store Address: _____ City: _____

State: _____

Post Code: _____

Customer Information

Customer Name: _____

Phone: (_____) _____

- _____

Customer Address: _____

City: _____ State: _____

Post Code: _____

